

» PRODUCT BULLETIN

## Zodiac™ Aquarius™ Special Effects


Zodiac™ Aquarius™ special effects add dazzling dimension to flat designs. From bases to textures and metallics, these effects take prints to the next level for maximum impact.

Tactile and optical effects pack a punch. Zodiac Aquarius Soft Density inks are used to add texture

and height to printed designs, capturing the true essence of graphic artwork. For designs that visually captivate, Zodiac Aquarius Foil Binder, Metallic Silver, and Reflective Clear deliver high-definition shine without sacrificing the soft hand provided by water-based ink.







The Aquarius™ water-based inks are part of the Zodiac™ portfolio of inks, providing eco-conscious screen printing inks to printers. To learn more about water-based and other eco-conscious inks, please contact Avient at +1.844.4AVIENT.

Aquarius Suede Base	Soft-hand suede base developed to provide smooth velvety textures or expanding foam effects
Aquarius Puff Base	Puff effect for raised, textured prints that can be printed with up to 6% Aquarius pigments
Aquarius Foil Binder	Thermoplastic foil adhesive for soft-hand, high-shine foil effects
Aquarius Soft Density	Clear bases used to produce soft, raised textured effects
Aquarius Reflective Range	Silver and clear ready-to-use reflective inks
Aquarius Pearl Range	Gold, silver, and a neutral pearl ready-to-use base that can be colored with up to 6% Aquarius pigments
Aquarius Particle Base	Particle base for use with up to 15% glitter particle designed to produce bright prints with soft hand
Aquarius Metallic Range	High shine, ready-to-use metallic silver and gold effect inks
Aquarius Brittle Base	For pull-to-crack or distressed effects that can be colored with up to 6% Aquarius pigments
Aquarius High Gloss Clear	Clear gel created to be printed over a high solids color layer

[www.zodiacinks.com](http://www.zodiacinks.com)



Copyright © 2023, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as “typical” or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient’s products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.