

» PRODUCT SELECTION GUIDE

UNION INK™

**UNION INK™  
WHITE SCREEN  
PRINTING INK  
PORTFOLIO**

 **AVIENT**





Take the guesswork out of selecting the right white ink for your next job. Union Ink offers a streamlined white ink portfolio specifically created to meet substrate and performance needs. Designed for the athletic printer, customers have come to expect durability, stretch, and opacity. Choose from cotton, polyester, and low bleed white inks by printing and press criteria using the product selection guide below.

## COTTON

	Description	Opacity	Hand	Cure Temps	Bleed Resistance	Fiber Mat Down	Flash Time	Stretch
<b>Lunar White PADE1040</b>	<ul style="list-style-type: none"> <li>Easy-to-print ink offering satin hand</li> <li>Low tack, creamy formula allows printing through finer mesh counts</li> </ul>	Good	Good	320°F	N/A	Good	Better	Better
<b>Brite White PADE1027</b>	<ul style="list-style-type: none"> <li>High opacity, medium- to low-gloss ink</li> <li>May be used as an underbase, stand alone or highlight white ink</li> </ul>	Good	Better	320°F	N/A	Better	Best	Better

## POLYESTER

	Description	Opacity	Hand	Cure Temps	Bleed Resistance	Fiber Mat Down	Flash Time	Stretch	Other Rec. Fabrics
<b>Premium White ATHP1070</b>	<ul style="list-style-type: none"> <li>Offers great printability, bleed resistance and opacity</li> <li>Excellent for use as a direct print ink for controlling dye migration</li> </ul>	Best	Best	320°F	Best	Better	Best	Best	100% polyester, polyester blends
<b>LC POLY-WHITE UPLC1071</b> 	<ul style="list-style-type: none"> <li>High opacity low cure, low bleed ink</li> <li>Offers great dye blocking ability on a range of fabrics</li> <li>Produces very soft, matte to low gloss finish</li> </ul>	Best	Best	250°F–320°F	Better	Best	Best	Best	Poly blends, 100% polyester
<b>LC FROSTY POLY-WHITE UPLC1076</b> 	<ul style="list-style-type: none"> <li>Excellent bleed resistance at a wide temperature range</li> <li>Cure prints as low as 250°F (121°C) on polypropylene and rayon</li> <li>High-opacity on dark fabrics</li> </ul>	Best	Better	250°F–320°F	Best	Better	Best	Best	Poly blends, 100% polyester, polypropylene, and rayon




**DENOTES  
REDUCED ENERGY  
USE PRODUCT**

## NYLON

	Description	Opacity	Hand	Cure Temps	Bleed Resistance	Fiber Mat Down	Flash Time	Stretch	Other Rec. Fabrics
<b>Athletic White PATE1000</b>	<ul style="list-style-type: none"> <li>High gloss ink with superior stretch</li> <li>Developed for nylon and tightly woven fabrics</li> </ul>	Best	Best	300°F	N/A	Better	Better	Good	Nylon, Lycra/spandex, Supplex nylon

## LOW BLEED

	Description	Opacity	Hand	Cure Temps	Bleed Resistance	Fiber Mat Down	Flash Time	Stretch	Other Rec. Fabrics
<b>Eclipse White PLHE1060</b>	<ul style="list-style-type: none"> <li>Provides excellent printability, bleed resistance, and coverage</li> </ul>	Best	Better	320°F	Best	Better	Best	Better	Cotton/poly blends
<b>Mercury White PLHE1050</b>	<ul style="list-style-type: none"> <li>Created for smoothness and opacity</li> <li>Creamy consistency and matting characteristics</li> </ul>	Good	Better	320°F	Better	Best	Best	Better	Cotton, cotton/poly blends
<b>Diamond White PLHE1070</b>	<ul style="list-style-type: none"> <li>Known for excellent bleed resistance and coverage</li> <li>Achieves smooth hand with creamy to medium body</li> </ul>	Best	Better	320°F	Best	Good	Better	Better	Cotton/poly blends
<b>Brite LB White PLHE1075</b>	<ul style="list-style-type: none"> <li>Great bleed resistance and coverage</li> <li>Provides a soft hand with excellent printability</li> </ul>	Better	Best	320°F	Good	Better	Better	Better	Cotton/poly blends
<b>LC LB POLAR WHITE UPLC1073</b> 	<ul style="list-style-type: none"> <li>Ideal for high production print environments</li> <li>Great printability and soft, subtle finish</li> </ul>	Better	Better	270°F–320°F	Better	Best	Best	Better	Polyblends, triblends, cotton/poly blends



## GLOBAL COMPLIANCE

Union Ink™ is certified to **ZDHC Conformance Level 3 with ECO PASSPORT by OEKO-TEX**. To learn more about compliance standards, please contact your Avient Specialty Inks distributor.

For more information about Union Ink screen printing inks, please call **1.844.4AVIENT** or visit **[www.unionink.com](http://www.unionink.com)**



**[www.avient.com](http://www.avient.com)**



Copyright © 2025, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.